

## 2019 Community Principles of Pain Management References

---

Visit [CompassionAndSupport.org](https://www.compassionandsupport.org) for additional resources.

### **Practice Guidelines and Pharmacological Therapies**

Abdulla, A., Adams, N., Bone, M., Elliott, A., et al. (2013). Guidance on the management of pain in older people. *Age and Ageing*, 42, i1-i57. <https://academic.oup.com/ageing/article-lookup/doi/10.1093/ageing/afs200>. Accessed: June 10, 2019.

Alford, D., Compton, P., & Samet, J. (2006). Acute Pain Management for Patients Receiving Maintenance Methadone or Buprenorphine Therapy. *Annals of Internal Medicine*, 144(2), 127-134

American Geriatrics Society 2019 Beers Criteria Update Expert Panel. (2019). American Geriatrics Society 2019 Updated Beers Criteria for Potentially Inappropriate Medication Use in Older Adults. *Journal of the American Geriatrics Society*, 00,1-21 DOI: 10.1111/jgs.15767.

Attal, N., de Andrade, D., Adam, F., Ranoux, D., et al. (2016). Safety and Efficacy of Repeated Injections of Botulinum Toxin A in Peripheral Neuropathic Pain (BOTNEP): A Randomised, Double-blind, Placebo-controlled Trial, *Lancet*, 15, 555-565.

Atkinson, T., Fudin, J., Wegrzyn, E., & Bettinger, J. (2014). Dialysis, Opioids, and Pain Management: Where's the Evidence? *Practical Pain Management*, 14(8), 1-14. <https://www.practicalpainmanagement.com/treatments/pharmacological/opioids/dialysis-opioids-pain-management-where-evidence>. Accessed: June 10, 2019.

Barr, J., Fraser, G., Puntillo, K., Ely, E., Gelinas, C., et al. (2013). Clinical Practice Guidelines for the Management of Pain, Agitation, and Delirium in Adult Patients in the Intensive Care Unit. *Critical Care Medicine*, 41(1), 263-306. <https://www.ncbi.nlm.nih.gov/pubmed/23269131> Accessed: June 10, 2019.

Belendiuk, K., Baldini, L., & Bonn-Miller, M. (2015). Narrative review of the safety and efficacy of marijuana for the treatment of commonly state-approved medical and psychiatric disorders. *Addiction Science & Clinical Practice*, 10. <https://ascjournal.biomedcentral.com/articles/10.1186/s13722-015-0032-7>. Accessed: June 10, 2019.

Brutcher, R., Kurihara, C., Bicket, M., et al. (2019). Compounded Topical Creams to Treat Localized Chronic Pain: A Randomized Controlled Study *Ann Int Med* 170, 309-318.

Centers for Disease Control and Prevention. (2018). 2018 Annual Surveillance Report of Drug-Related Risks and Outcomes — United States. Surveillance Special Report. Centers for Disease Control and Prevention, U.S. Department of Health and Human Services. Published August 31, 2018. <https://www.cdc.gov/drugoverdose/pdf/pubs/2018-cdc-drug-surveillance-report.pdf> Accessed June 10, 2019.

Centers for Disease Control and Prevention. (2011). Vital Signs: Overdoses of Prescription Opioid Pain Relievers --- United States, 1999-2008. *Morbidity and Mortality Weekly Report*, 60(43), 1487-1492. <https://www.cdc.gov/mmwr/pdf/wk/mm6043.pdf>. Accessed: June 10, 2019.

Cheung, C., Qiu, Q., Choi, S.-W., Moore, B., Goucke, R., & Irwin, M. (2014). Chronic Opioid Therapy for Chronic Non-Cancer Pain: A Review and Comparison of Treatment Guidelines. *Pain Physician*, 17(5), 401-414. <https://espace.library.uq.edu.au/view/UQ:341298>. Accessed: June 10, 2019.

Chou, R., Deyo, R., Friedly, J., et al. (2017). Systemic Pharmacologic Therapies for Low Back Pain: A Systematic Review for an American College of Physicians Clinical Practice Guideline. *Annals of Internal Medicine*, 166(7), 480-492. <http://annals.org/aim/article/2603229/systemic-pharmacologic-therapies-low-back-pain-systematic-review-american-college>. Accessed: June 11, 2019.

Chou, R., Gordon, D., de Leon-Casasola, O. et al. (2016). Guidelines on the Management of Postoperative Pain. *The Journal of Pain*, 17(2), 131-157. [http://www.jpain.org/article/S1526-5900\(15\)00995-5/fulltext](http://www.jpain.org/article/S1526-5900(15)00995-5/fulltext). Accessed: June 11, 2019.

Chou, R., Turner, J., Devine, E., et al. (2015). The Effectiveness and Risks of Long-Term Opioid Therapy for Chronic Pain: A Systematic Review for a National Institutes of Health Pathways to Prevention Workshop. *Annals of Internal Medicine*, 162(4), 276-286.

Dowell, D., Haegerich, T., and Chou, R. (2019) No Shortcuts to Safer Opioid Prescribing *NEJM* Perspective, 1-3 DOI: 10.1056/NEJMp1904190

- Dowell, D, Haegerich, T, & Chou, R. (2016). CDC Guideline for Prescribing Opioids for Chronic Pain—United States, 2016. *JAMA*, 315(15), 1624-1645. <https://www.cdc.gov/mmwr/volumes/65/rr/rr6501e1.htm>. Accessed: June 11, 2019.
- Franklin, G. (2014). Opioids for chronic noncancer pain. *American Academy of Neurology*, 83, 1277-1284. <http://www.neurology.org/content/83/14/1277.full>. Accessed: June 11, 2019.
- Goesling, J., Henry, M., Moser, S., et al. (2015). Symptoms of Depression Are Associated With Opioid Use Regardless of Pain Severity and Physical Functioning Among Treatment-Seeking Patients With Chronic Pain. *The Journal of Pain*, 16(9), 844-851. [http://www.jpain.org/article/S1526-5900\(15\)00702-6/fulltext](http://www.jpain.org/article/S1526-5900(15)00702-6/fulltext). Accessed: June 11, 2019.
- Hochberg, M., Altman, R., April, K., et al. (2012, April). American College of Rheumatology 2012 recommendations for the use of nonpharmacologic and pharmacologic therapies in osteoarthritis of the hand, hip, and knee. *Arthritis Care & Research*, 64(4), 465-474.
- McPherson, ML, et al. (2019) Safe and Appropriate Use of Methadone in Hospice and Palliative Care: Expert Consensus White Paper *Journal of Pain and Symptom Management* 57(3), 635-645.
- National Academy of Medicine (NAM). (2017). First do no harm: Marshaling clinician leadership to counter the opioid epidemic. Washington, DC: National Academy of Medicine. <https://nam.edu/first-no-harm-nam-special-publication/>. Accessed June 10, 2019.
- National Academy of Medicine. (2017). President's Forum: The U.S. Opioid Epidemic <https://youtu.be/8cVhP00IziU>. Accessed June 10, 2019.
- National Academies of Sciences, Engineering, and Medicine (2019). Pain Management for People with Serious Illness in the Context of the Opioid Use Disorder Epidemic: Proceedings of a Workshop. Washington, DC: The National Academies Press. <https://doi.org/10.17226/25435>. Accessed June 10, 2019.
- National Academies of Sciences, Engineering, and Medicine. (2017). Pain management and the opioid epidemic: Balancing societal and individual benefits and risks of prescription opioid use. Washington, DC: The National Academies Press. doi: <https://doi.org/10.17226/24781>. Accessed June 10, 2019.
- Nisar, R., Griffin, B., Vest, K., Tran, T., Nikolaidis, J. (2019) Opioid Misuse in Older Women. *Journal of the American Geriatrics Society*, <https://doi.org/10.1111/jgs.15965>. Accessed June 10, 2019.
- Nuckols, T., Anderson, L., Popescu, I., et al. (2014). Opioid Prescribing: A Systematic Review and Critical Appraisal of Guidelines for Chronic Pain. *Annals of Internal Medicine*, 160(1), 38-47.
- Paulozzi, L., Mack, K., & Hockenberry, J. (2014). Vital Signs: Variation Among States in Prescribing of Opioid Pain Relievers and Benzodiazepines — United States, 2012. *Morbidity and Mortality Weekly Report*, 63(26), 563-568. <https://www.cdc.gov/mmwr/preview/mmwrhtml/mm6326a2.htm>. Accessed: June 11, 2019.
- Reuben, D, Alvanzo, A., Ashikaga, T., et al. (2015). National Institutes of Health Pathways to Prevention Workshop: The Role of Opioids in the Treatment of Chronic Pain. *Annals of Internal Medicine*, 162(4), 295-300. <http://annals.org/aim/article/2089371/national-institutes-health-pathways-prevention-workshop-role-opioids-treatment-chronic>. Accessed: June 11, 2019.
- Rudd, R., Aleshire, N., Zibbell, J., & Gladden, R. (2016). Increases in Drug and Opioid Overdose Deaths — United States, 2000–2014. *Morbidity and Mortality Weekly Report*, 64(50), 1378-1382. <https://www.cdc.gov/mmwr/preview/mmwrhtml/mm6450a3.htm>. Accessed: June 11, 2019.
- Taylor, R., Lemtouni, S., Weiss, K., & Pergolizzi, J. (2012). Pain Management in the Elderly: An FDA Safe Use Initiative Expert Panel's View on Preventable Harm Associated with NSAID Therapy. *Current Gerontology and Geriatrics Research*, 1-9. <https://www.hindawi.com/journals/cggr/2012/196159>. Accessed: June 10, 2019.
- U.S. Department of Health and Human Services (2019, May). Pain Management Best Practices Inter-Agency Task Force Report: Updates, Gaps, Inconsistencies, and Recommendations. Retrieved from U. S. Department of Health and Human Services website: <https://www.hhs.gov/ash/advisory-committees/pain/reports/index.html> Accessed June 10, 2019.

## **Assessment Tools**

Cheatle, M, Compton, P, Dhingra, L, Wasser, T, O'Brien, C. (2019) Development of the Revised Opioid Risk Tool to Predict Opioid Use Disorder in Patients with Chronic Nonmalignant Pain *The Journal of Pain* 0 (0) 1-10. Available online: [https://www.jpain.org/article/S1526-5900\(18\)30622-9/fulltext](https://www.jpain.org/article/S1526-5900(18)30622-9/fulltext). Accessed June 10, 2019.

Clark, M, Hurley, R, Adams, M. (2018) Re-assessing the Validity of the Opioid Risk Tool in a Tertiary Academic Pain Management Center Population *Pain Medicine*, 19: 1382–1395.

Ersek, M, Herr, K, Hilgeman, M, et al. (2018) Developing a Pain Intensity Measure for Persons with Dementia: Initial Construction and Testing *Pain Medicine*, 0(0), 1-15. doi: 10.1093/pm/pny180.

Ersek, M, Neradilek, M, Herr, K, et al. (2018) Psychometric Evaluation of a Pain Intensity Measure for Persons with Dementia. *Pain Medicine* 0(0), 1-12 doi: 10.1093/pm/pny166

Herr, K., Coyne, P. J., McCaffery, M., Manworren, R., & Merkel, S. (2011). Pain assessment in the patient unable to self-report: position statement with clinical practice recommendations. *Pain Management Nursing*, 12(4), 230-250.

Jamison, R., Serrailier, J., & Michna, E. (2011). Assessment and Treatment of Abuse Risk in Opioid Prescribing for Chronic Pain. *Pain and Research Treatment*, 1-12. <https://www.hindawi.com/journals/prt/2011/941808>. Accessed: June 11, 2019.

Lichtner, V., Dowding, D., Esterhuizen, P., et al. (2014). Pain assessment for people with dementia: a systematic review of systematic reviews of pain assessment tools. *BMC Geriatrics*, 14(138). <https://bmcgeriatr.biomedcentral.com/articles/10.1186/1471-2318-14-138>. Accessed: June 11, 2019.

Lints-Martindale, A., Hadjistavropoulos, T., Lix, L. M., & Thorpe, L. (2012). A Comparative Investigation of Observational Pain Assessment Tools for Older Adults With Dementia. *Clinical Journal of Pain*, 28(3), 226-237.

Solanski, D., Koyyalagunta, D., Shah, R., Silverman, S., & Manchikanti, L. (2011). Monitoring Opioid Adherence in Chronic Pain Patients: Assessment of Risk of Substance Misuse. *Pain Physician*, 14, E119-E131. <http://www.painphysicianjournal.com/current/pdf?article=MTQ0NQ%3D%3D&journal=60>. Accessed: June 11, 2019.

Webster, L, Webster, R. (2005) Predicting Aberrant Behaviors in Opioid-Treated Patients: Preliminary Validation of the Opioid Risk Tool *Pain Medicine* 6(6): 432–442.

Witkin, L., Diskina, D., Fernandes, S., Farrar, J., & Ashburn, M. (2013). Usefulness of the opioid risk tool to predict aberrant drug-related behavior in patients receiving opioids for the treatment of chronic pain. *Journal of Opioid Management*, 9(3), 177-187.

## **Neuromodulation and Invasive Procedures:**

Deer, T., Levy, R., Kramer, J., et al. (2017). Dorsal Root Ganglion Stimulation Yielded Higher Treatment Success Rate for Complex Regional Pain Syndrome and Causalgia at 3 and 12 months: A Randomized Comparative Trial. *Pain*, 158(4), 669-681.

Kapural, L., Yu, C., Doust, M., Gliner, B., et al. (2015). Novel 10-kHz High-Frequency Therapy (HF10 Therapy) Is Superior to Traditional Low-Frequency Spinal Cord Stimulation for the Treatment of Chronic Back and Leg Pain; The SENZA-RCT Randomized Controlled Trial. *Anesthesiology*, 123, 851-60.

Turner, J., Loeser, J., Deyo, R., & Sanders, S. (2004). Spinal Cord Stimulation for Patients with Failed Back Surgery Syndrome or Complex Regional Pain Syndrome: A Systematic Review of Effectiveness and Complications. *Pain*, 108, 137-147.

Jonas, W, Crawford, C, Colloca, L, Kriston, L, et al (2018) Are Invasive Procedures Effective for Chronic Pain? A Systematic Review, *Pain Medicine* pny154, <https://doi.org/10.1093/pm/pny154> Accessed: June 7, 2019

## **Non-Pharmacological / Alternative / Complementary Therapies**

Consortium for Integrative Medicine and Health Tick, S, Arya Nielsen, A, et al. (2017) Evidence-Based Nonpharmacologic Strategies for Comprehensive Pain Care: The Consortium Pain Task Force White Paper [www.nonpharmpaincare.org](http://www.nonpharmpaincare.org) Accessed June 7, 2019.

Chou, R., Deyo, R., Friedly, J., et al. (2017). Nonpharmacologic Therapies for Low Back Pain: A Systematic Review for an American College of Physicians Clinical Practice Guideline. *Annals of Internal Medicine*, 166(7), 493-505. <http://annals.org/aim/article/2603230/nonpharmacologic-therapies-low-back-pain-systematic-review-american-college-physicians>. Accessed: June 11, 2019.

Hempel, S., Taylor, S., Solloway, M., et al. (2014) Evidence Map of Tai Chi. VA-ESP Project #ESP 05-226.

Kong, L. et al. (2016) Tai Chi for Chronic Pain Conditions: A Systematic Review and Meta- analysis of Randomized Controlled Trials. *Sci. Rep.* 6, 25325; doi: 10.1038/srep25325

Morone, N., Greco, C., Moore, C., et al. (2016). A Mind-Body Program for Older Adults With Chronic Low Back Pain: A Randomized Clinical Trial. *JAMA Internal Medicine*, 176(3), 329-337. <http://jamanetwork.com/journals/jamainternalmedicine/fullarticle/2495275>. Accessed: June 11, 2019.

Nahin, R., Khalsa, P., Weber, W., Boineau, R., & Stussman, B. (2016). Evidence-Based Evaluation of Complementary Health Approaches for Pain Management in the United States. *Mayo Clinic Proceedings*, 91(9), 1292-1306. <http://dx.doi.org/10.1016/j.mayocp.2016.06.007>. Accessed: June 11, 2019.

National Academies of Sciences, Engineering, and Medicine. (2019). The role of nonpharmacological approaches to pain management: Proceedings of a workshop. Washington, DC: The National Academies Press. doi: <https://doi.org/10.17226/25406>. Accessed June 10, 2019.

Park, J., & Hughes, A. (2012). Nonpharmacological Approaches to the Management of Chronic Pain in Community-Dwelling Older Adults: A Review of Empirical Evidence. *Journal of the American Geriatrics Society*, 60(3), 555-568.

Qaseem, A., Wilt, T., McLean, R., & Forciea, M. (2017). Noninvasive Treatments for Acute, Subacute, and Chronic Low Back Pain: A Clinical Practice Guideline From the American College of Physicians. *Annals of Internal Medicine*, 166(7), 514-530. <http://annals.org/aim/article/2603228/noninvasive-treatments-acute-subacute-chronic-low-back-pain-clinical-practice>. Accessed: June 11, 2019

Shengelia, R., Parker, S., Ballin, M., George, T., & Reid, M. (2013). Complementary Therapies for Osteoarthritis: Are They Effective? *Pain Management Nursing*, 14(4), e274-e288. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3857560/pdf/nihms365928.pdf>. Accessed: June 11, 2019.

## **Opioid Use Disorder**

Agarin, T., Trescot, A., Agarin, A., Lesanics, D., & Decastro, C. (2015). Reducing Opioid Analgesic Deaths in America: What Health Providers Can Do. *Comprehensive Review*, 18(3), E307-E322. <http://www.painphysicianjournal.com/linkout?issn=1533-3159&vol=18&page=E307>. Accessed: June 11, 2019.

Ballantyne, J. (2015). Assessing the prevalence of opioid misuse, abuse, and addiction in chronic pain. *PAIN*, 156(4), 567-568.

Bohnert, A., Valenstein, M., Bair, M., et al. (2011). Association Between Opioid Prescribing Patterns and Opioid Overdose-Related Deaths. *JAMA*, 305(13), 1315-1321. <http://jamanetwork.com/journals/jama/fullarticle/896182>. Accessed: June 11, 2019.

Boscarino, J., Rukstalis, M., Hoffman, S., et al. (2011). Prevalence of Prescription Opioid-Use Disorder Among Chronic Pain Patients: Comparison of the DSM-5 vs. DSM-4 Diagnostic Criteria. *Journal of Addictive Diseases*, 30(3), 185-194. <http://dx.doi.org/10.1080/10550887.2011.581961>. Accessed: June 11, 2019.

Brady, K., McCauley, J., & Back, S. (2016). Prescription Opioid Misuse, Abuse, and Treatment in the United States: An Update. *American Journal of Psychiatry*, 173(1), 18-26. <http://ajp.psychiatryonline.org/doi/full/10.1176/appi.ajp.2015.15020262>. Accessed: June 11, 2019.

Butler, S., Budman, S. H., Fanciullo, G., & Jamison, R. (2010). Cross Validation of the Current Opioid Misuse Measure (COMM) to Monitor Chronic Pain Patients on Opioid Therapy. *Clinical Journal of Pain*, 26(9), 770-776. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2955853>. Accessed: June 11, 2019.

- Gomes, T., Mamdani, M., Dhalla, I., Paterson, M., & Juurlink, D. (2011). Opioid Dose and Drug-Related Mortality in Patients With Nonmalignant Pain. *JAMA Internal Medicine*, 171(7), 686-691. <http://jamanetwork.com/journals/jamainternalmedicine/fullarticle/227064>. Accessed: June 11, 2019.
- Grattan, A., Sullivan, M., Saunders, K., Campbell, C., & Von Korff, M. (2012). Depression and Prescription Opioid Misuse Among Chronic Opioid Therapy Recipients With No History of Substance Abuse. *Annals of Family Medicine*, 10(4), 304-311. <http://www.annfammed.org/content/10/4/304.full>. Accessed: June 11, 2019.
- Gwira Baumblatt, J., Wiedeman, C., Dunn, J., Schaffner, W., Paulozzi, L., & Jones, T. (2014). High-Risk Use by Patients Prescribed Opioids for Pain and Its Role in Overdose Deaths. *JAMA Internal Medicine*, 174(5), 796-801. <http://jamanetwork.com/journals/jamainternalmedicine/fullarticle/1840033>. Accessed: June 11, 2019.
- Howe, C., & Sullivan, M. (2014). The missing 'P' in pain management: how the current opioid epidemic highlights the need for psychiatric services in chronic pain care. *General Hospital Psychiatry*, 36, 99-104.
- Juurlink, D., & Dhalla, I. (2012). Dependence and Addiction During Chronic Opioid Therapy. *Journal of Medical Toxicology*, 8, 393-399. <https://link.springer.com/article/10.1007/s13181-012-0269-4>. Accessed: June 11, 2019.
- Kolondy, A., Courtwright, D., Hwang, C., et al. (2015). The Prescription Opioid and Heroin Crisis: A Public Health Approach to an Epidemic of Addiction. *Annual Review of Public Health*, 36(1), 559-574. <http://annualreviews.org/doi/full/10.1146/annurev-publhealth-031914-122957>. Accessed: June 11, 2019.
- Miller, M., Barber, C., Leatherman, S., et al. (2015). Prescription Opioid Duration of Action and the Risk of Unintentional Overdose Among Patients Receiving Opioid Therapy. *JAMA Internal Medicine*, 175(4), 608-615. <http://jamanetwork.com/journals/jamainternalmedicine/fullarticle/2110997>. Accessed: June 11, 2019.
- National Academies of Sciences, Engineering, and Medicine. (2019). Medications for opioid use disorder save lives. Washington, DC: The National Academies Press. doi: <https://doi.org/10.17226/25310>. Accessed June 10, 2019.
- Sehgal, N., Manchikanti, L., & Smith, H. S. (2012). Prescription Opioid Abuse in Chronic Pain: A Review of Opioid Abuse Predictors and Strategies to Curb Opioid Abuse. *Pain Physician*, 15, ES67-ES92. <http://www.painphysicianjournal.com/linkout?issn=1533-3159&vol=15&page=ES67>. Accessed: June 11, 2019.
- Thomas, D., Frascella, J., Hall, T., et al. (2015). Reflections on the role of opioids in the treatment of chronic pain: a shared solution for prescription opioid abuse and pain. *Journal of Internal Medicine*, 278, 92-94.
- Volkow, N. D., & McLellan, T. (2016). Opioid Abuse in Chronic Pain — Misconceptions and Mitigation Strategies. *The New England Journal of Medicine*, 374(13), 1253-63. <http://www.nejm.org/doi/full/10.1056/NEJMra1507771#t=article>. Accessed: June 11, 2019.
- Vowles, K. E., McEntee, M. L., Siyahhan Julnes, P., Frohe, T., Ney, J. P., & van der Goes, D. N. (2015, April). Rates of opioid misuse, abuse, and addiction in chronic pain: a systematic review and data synthesis. *PAIN*, 156(4), 569-576.
- Wasan, A., Michna, E., Edwards, R., et al. (2015). Psychiatric Comorbidity Is Associated Prospectively with Diminished Opioid Analgesia and Increased Opioid Misuse in Patients with Chronic Low Back Pain. *Anesthesiology*, 123(4), 861-872. <http://anesthesiology.pubs.asahq.org/article.aspx?articleid=2396642>. Accessed: June 11, 2019.
- Webster, L. R., Cochella, S., Dasgupta, N., Fakata, K. L., Fine, P. G., Fishman, S. M., . . . Wakeland, W. (2011). An Analysis of the Root Causes for Opioid-Related Overdose Deaths in the United States. *Pain Medicine*, 12, S26-S35.

## **Pediatrics**

- Groenewald, C., Rabbitts, J., Gebert, J., & Palermo, T. (2016). Trends in opioid prescriptions among children and adolescents in the United States: a nationally representative study from 1996 to 2012. *PAIN*, 157(5), 1021-1027.
- Sharma, B., Bruner, A., Barnett, G., & Fishman, M. (2016). Opioid Use Disorders. *Child & Adolescent Psychiatric Clinics*, 25(3), 473-487.
- World Health Organization. (2012). *WHO guidelines on the pharmacological treatment of persisting pain in children with medical illnesses*. World Health Organization. [http://apps.who.int/iris/bitstream/10665/44540/1/9789241548120\\_Guidelines.pdf](http://apps.who.int/iris/bitstream/10665/44540/1/9789241548120_Guidelines.pdf). Accessed: June 11, 2019.